

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO	. FI	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/089,270	06/24/2002		Daniel Charquet	12093/888	4703
26646	7590	04/07/2004		EXAMINER	
KENYON ONE BRO	I & KENY	ON .		MORILLO, JAN	NELL COMBS
NEW YORK, NY 10004		•	ART UNIT PAPER NUMBER		
		• .		1742	

DATE MAILED: 04/07/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

·•							
	Application No.	Applicant(s)					
	10/089,270	CHARQUET, DANIEL ET AL					
Office Action Summary	Examiner	Art Unit					
	Janelle Combs-Morillo	1742					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period we Failure to reply within the set or extended period for reply will, by statute,  - Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).  Status	i6(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).					
1) Responsive to communication(s) filed on 30 Ma	arch 2004.						
2a) ☐ This action is <b>FINAL</b> . 2b) ☑ This a	action is non-final.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4) ☐ Claim(s) 10-18 is/are pending in the application 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 10-18 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	n from consideration.						
Application Papers	ciccion requirement.						
9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) acceed applicant may not request that any objection to the description of the descripti	epted or b) objected to by the E Irawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).					
Priority under 35 U.S.C. §§ 119 and 120							
12) △ Acknowledgment is made of a claim for foreign a) △ All b) ☐ Some * c) ☐ None of:  1. ☐ Certified copies of the priority documents 2. ☐ Certified copies of the priority documents 3. △ Copies of the certified copies of the priori application from the International Bureau * See the attached detailed Office action for a list of 13) ☐ Acknowledgment is made of a claim for domestic since a specific reference was included in the first 37 CFR 1.78.  a) ☐ The translation of the foreign language provides a claim for domestic reference was included in the first sentence of the reference was included in the first sentence was included in the first sentence was included in the first sentence	have been received. have been received in Application ty documents have been received (PCT Rule 17.2(a)). If the certified copies not received priority under 35 U.S.C. § 119(e) the sentence of the specification or received priority under 35 U.S.C. § 120	on No  d in this National Stage  d. e) (to a provisional application) in an Application Data Sheet.  eived. and/or 121 since a specific					
Attachment(s)	_						
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO-1449) Paper No(s) 032</li> </ol>	5) Notice of Informal Pa	(PTO-413) Paper No(s) atent Application (PTO-152)					

Art Unit: 1742

#### **DETAILED ACTION**

### Claim Rejections - 35 USC § 112

- 1. The following is a quotation of the second paragraph of 35 U.S.C. 112:
  - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 2. Claims 10-18 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 10 states "a ratio of a niobium content less 0.5% to an iron content and at least one of not supplemented and supplemented by at least one of a chromium and a vanadium content higher than 2.5", which renders the claim indefinite. In particular, it is unclear what "a ratio of a niobium content less 0.5% to an iron content" means- typically ratios are given in decimal form, not percentage, nevertheless, clarity is need (additionally, what does the percentage refer to?). The examiner points out that the specification page 2 line 22 mentions a ratio Nb/Fe>2.5, if this is what applicant meant by the above phrase, please more clearly rephrase. Additionally, it is unclear what "at least one of not supplemented and supplemented by at least one of a chromium and a vanadium content" means, wherein the limitation "from 0.01% to 0.25% in total of at least one of chromium and vanadium" is already set forth in said claim, lines 5-6.

Similar phrases are present in independent claims 13, 14, 15, and 18. Claims dependent on the above rejected claims are likewise rejected under this statute. Appropriate correction is required.

Art Unit: 1742

### Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 10-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over WO 93/16205 (WO'205) in view of Rebeyrolle (US 5,832,050).

Concerning independent claims 10 and 15, WO'205 teaches a Zr based alloy for use in light water nuclear core structure elements (page 11 lines 1-2) comprising (in weight%): up to 1% V, up to 1% Nb, up to 0.5% Sn, 0.2-0.5% Fe, 0.1-0.4% Cr, up to 2200 ppm O (see WO'205 p 10 Table 1), which overlaps the instant ranges of Fe, Nb, Sn, O, Cr, and V. WO'205 teaches that said lower level of Sn improves the corrosion resistance (page 3 lines 1-2). Concerning the ratio mentioned in limes 6-8, it is unclear (see 112 second paragraph rejection above) what this ratio is referring to. If it is the Nb/Fe ratio (that is, Nb/Fe>2.5), then because WO'205 teaches a Nb range of 0-1.0% and a Fe range of 0.2-0.5% Fe, WO'205 is held to teach a Nb/Fe ratio of 0-5.0, which overlaps the instant ratio.

WO'205 does not teach the instant range of S. However, Rebeyrolle teaches 8-30 ppm S dramatically increases the creep resistance (see Fig. 1, abstract) of Zr alloys. It would have been obvious to one of ordinary skill in the art to add 8-30 ppm S to the Zr alloy taught by WO'205 because Rebeyrolle teaches 8-30 ppm S dramatically increases the creep resistance (Fig. 1, column 4 lines 9-11) of Zr alloys.

Art Unit: 1742

Overlapping ranges have been held to be a prima facie case of obviousness, see MPEP § 2144.05. It would have been obvious to one of ordinary skill in the art to select any portion of the range, including the claimed range, from the broader range disclosed in the prior art, because the prior art finds that said composition in the entire disclosed range has a suitable utility. Because the prior art teaches an overlapping alloy composition, it is held that WO'205 and Rebeyrolle have created a prima facie case of obviousness of the presently claimed invention.

Concerning dependent claims 11, 12, and 17, WO'205 teaches compositional ranges that overlap or touch the boundary of the presently claimed ranges.

Concerning independent claims 13 and 14, as stated above, the combination of WO'205 and Rebeyrolle teaches an overlapping Zr alloy composition. WO'205 further teaches that Zr alloys are used in fuel rod claddings and in fuel assembly structural components of nuclear reactors in the form of strips and tubes (page 1 lines 17-19).

Concerning claim 16, which mentions the ratio if higher than 3, as stated above, it is unclear (see 112 second paragraph rejection above) what this ratio is referring to. If it is the Nb/Fe ratio, then because WO'205 teaches a Nb range of 0-1.0% and a Fe range of 0.2-0.5% Fe, WO'205 is held to teach a Nb/Fe ratio of 0-5.0, which overlaps the instant ratio.

5. Claims 10-17 rejected under 35 U.S.C. 103(a) as being unpatentable over FR 2,769,637 (FR'637) in view of Rebeyrolle (US 5,832,050).

Concerning independent claims 10 and 15, FR'637 teaches a Zr based alloy for use in nuclear fuel cladding (abstract) comprising (in weight%): 0.2-1.7% Sn, 0.18-0.6% Fe, 0.07-0.4% Cr, 0.05-1% Nb, balance Zr (abstract), which overlaps the instant ranges of Fe, Nb, Sn, and Cr. Concerning the ratio mentioned in limes 6-8, it is unclear (see 112 second paragraph rejection

Art Unit: 1742

above) what this ratio is referring to. If it is the Nb/Fe ratio (that is, Nb/Fe>2.5), then because FR'637 teaches a Nb range of 0.05-1.0% and a Fe range of 0.18-0.6% Fe, FR'637 is held to teach a Nb/Fe ratio of 0.083-5.6, which overlaps the instant ratio.

FR'637 does not teach the instant range of S. However, Rebeyrolle teaches 8-30 ppm S dramatically increases the creep resistance (see Fig. 1, abstract) of Zr alloys. It would have been obvious to one of ordinary skill in the art to add 8-30 ppm S to the Zr alloy taught by FR'637 because Rebeyrolle teaches 8-30 ppm S dramatically increases the creep resistance (Fig. 1, column 4 lines 9-11) of Zr alloys.

Overlapping ranges have been held to be a prima facie case of obviousness, see MPEP § 2144.05. It would have been obvious to one of ordinary skill in the art to select any portion of the range, including the claimed range, from the broader range disclosed in the prior art, because the prior art finds that said composition in the entire disclosed range has a suitable utility. Because the prior art teaches an overlapping alloy composition, it is held that FR'637 and Rebeyrolle have created a prima facie case of obviousness of the presently claimed invention.

Concerning dependent claims 11, 12, and 17, FR'637 teaches compositional ranges that overlap or touch the boundary of the presently claimed ranges.

Concerning independent claims 13 and 14, as stated above, the combination of FR'637 and Rebeyrolle teaches an overlapping Zr alloy composition. FR'637 further teaches that Zr alloys are used in fuel rod claddings and in fuel assembly structural components of nuclear reactors in the form of strips and tubes (page 1 lines 17-19).

Concerning claim 16, which mentions the ratio if higher than 3, as stated above, it is unclear (see 112 second paragraph rejection above) what this ratio is referring to. If it is the

Art Unit: 1742

Nb/Fe ratio, then because FR'637 teaches a Nb range of 0.05-1.0% and a Fe range of 0.18-0.6% Fe, FR'637 is held to teach a Nb/Fe ratio of 0.083-5.6, which overlaps the instant ratio.

6. Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over FR 2,769,637 (FR'637) in view of Rebeyrolle (US 5,832,050) and "ASM Handbook Vol. 2", pp 662-663.

As stated above, the combination of FR'637 and Rebeyrolle teaches an overlapping Zr alloy composition. FR'637 teaches a process of solution heat treatment (heating and quenching), hot extruding, repeated cold rolling with annealing, as well as final annealing, wherein said annealing takes place at 550-850°C (abstract). FR'637 does not teach (in the translated parts) the hot extrusion temperature, or annealing in an inert or vacuum atmosphere. However, "ASM Handbook Vol. 2" pp. 663 teaches that Zr is extruded at temperature between 675-800°C (see "Extrusion of Tubing"), and annealed in vacuums or argon to preserve the cold rolled surface (page 663, 3<sup>rd</sup> full paragraph). It would have been obvious to one of ordinary skill in the art to extrude and anneal the Zr alloy taught by FR'637 and Rebeyrolle, at the temperatures set forth by "ASM Handbook Vol. 2" because said handbook teaches that these temperature ranges are typical for forming Zr alloys.

## **Double Patenting**

7. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground

Art Unit: 1742

provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

8. Claims 10-11, and 13-17 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-13 of U.S. Patent No. 6,544,361 B1 (US'361). Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims of US'361 teach a Zr alloy with 0.8-1.3% Nb, 500-2000 ppm O, 5-35 ppm S, less than 0.25% Fe+Cr+V, less than 300 ppm Sn, which overlaps the instant alloy compositional ranges. As stated above, it is unclear (see 112 second paragraph rejection above) what this ratio in claims 10, 13-16 is referring to. It would have been obvious to one of ordinary skill in the art to select any portion of the range, including the claimed range, from the broader range disclosed in the prior art, because the prior art finds that said composition in the entire disclosed range has a suitable utility.

#### Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Janelle Combs-Morillo whose telephone number is (571) 272-1240. The examiner can normally be reached on 8:30 am- 6:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy King can be reached on (571) 272-1244. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.

GEORGE WYSZOMIERSKI PRIMARY EXAMINER

jcm ( ) March 26, 2004